




NTN BEARING DRIVESHAFT, INC.



3.543 Inch | 90 Millimeter x 7.48 Inch | 190
Millimeter x 2.52 Inch | 64 Millimeter SKF NU
2318 ECP/C3 Cylindrical Roller Bearings

Bearing No. NU 2318 ECP/C3

NU 2318 ECP/C3 Bearing 2D drawings and 3D CAD
models

Category	Cylindrical Roller Bearings
Inventory	1.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	8.173
EAN	7316570665796
Product Group	B04144
Bore Profile	Straight
Cage Material	Polymer
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	90MM Bore; Straight Bore Profile; 190MM Outside Diameter; 64MM Width;



NTN BEARING DRIVESHAFT,INC.

	Polymer Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C3-Loose Int
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	NU 2318 ECP/C3
Weight / LBS	18.003
B	2.52 Inch 64 Millimeter
D	7.48 Inch 190 Millimeter
d	3.543 Inch 90 Millimeter
bore diameter:	90 mm
static load capacity:	540 kN
outside diameter:	190 mm
maximum rpm:	4500 rpm
overall width:	64 mm
bearing material:	Steel
flanges:	(2) Flanges on outer Ring, Flangeless Inner Ring
cage material:	Polyamide
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	C3
series:	NU
operating temperature range:	Maximum 302 ° F
manufacturer upc number:	7316570665796



NTN BEARING DRIVESHAFT, INC.

dynamic load capacity:

500 kN