



NTN BEARING DRIVESHAFT,INC.



NUP 219 ECM/C3 Bearing 2D drawings and 3D CAD models

3.74 Inch | 95 Millimeter x 6.693 Inch | 170 Millimeter x 1.26 Inch | 32 Millimeter SKF NUP 219 ECM/C3 Cylindrical Roller Bearings

Bearing No. NUP 219 ECM/C3

Category	Cylindrical Roller Bearings
Inventory	3.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	3.418
EAN	7316572148020
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	No
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity 1 Rib Inner Ring with Side Plate 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	95MM Bore; Straight Bore Profile; 170MM Outside



NTN BEARING DRIVESHAFT,INC.

	Diameter; 32MM Width; Brass Cage Material; RBEC 1 ISO P0; Single Row; Not Separable; No Snap Ring; Relubricatable; C3-Loose Internal Clearance; Retai
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	NUP 219 ECM/C3
Weight / LBS	7.535
d	3.74 Inch 95 Millimeter
B	1.26 Inch 32 Millimeter
D	6.693 Inch 170 Millimeter
bore diameter:	95 mm
static load capacity:	265 kN
outside diameter:	170 mm
maximum rpm:	4800 rpm
overall width:	32 mm
bearing material:	Steel
flanges:	(2) Flanges on outer Ring, Flangeless Inner Ring
cage material:	Brass
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	C3
series:	NUP
operating temperature range:	Maximum 302 ° F
manufacturer upc number:	7316572148020



NTN BEARING DRIVESHAFT, INC.

dynamic load capacity:

255 kN