



NTN BEARING DRIVESHAFT,INC.



MR1210EL Bearing 2D drawings and 3D CAD models

1.969 Inch | 50 Millimeter x 3.543 Inch | 90
Millimeter x 0.787 Inch | 20 Millimeter NTN
MR1210EL Cylindrical Roller Bearings

Bearing No. MR1210EL

Category	Cylindrical Roller Bearings
Inventory	1.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.572
EAN	4547359486292
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	1 Rib Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	50MM Bore; Straight Bore Profile; 90MM Outside Diameter; 20MM Width;



NTN BEARING DRIVESHAFT,INC.

	Steel Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Intern
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	MR1210EL
Weight / LBS	1.169
B	0.787 Inch 20 Millimeter
D	3.543 Inch 90 Millimeter
d	1.969 Inch 50 Millimeter
bore diameter:	50 mm
static load capacity:	78500 N
outside diameter:	90 mm
precision rating:	ISO Class 0
overall width:	20 mm
bearing material:	Hardened Alloy Steel
flanges:	(2) Outer Ring, (1) Inner Ring
cage material:	Composite Steel
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	CN
outer ring width:	20 mm
ring separation:	Separable Inner Ring
fillet radius:	1.52 mm



NTN BEARING DRIVESHAFT,INC.

operating temperature range:	-40 to 120 ° C
series:	MR
dynamic load capacity:	65000 N
manufacturer product page:	Click here